AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1 (original). An antimicrobial silicone oligomer or polymer comprising a silicone oligomer or polymer associated with at least one compound of formula I

wherein, R1 and R2 are independently selected from the group consisting of H, halogen, alkyl, alkoxy, oxoalkyl, alkenyl, aryl or arylalkyl whether unsubstituted or substituted, straight chain or branched chain,

R3 and R4 are independently H, halogen, alkyl, aryl, or arylalkyl; and X is O or NR₂.

2 (original). A antimicrobial silicone oligomer or polymer according to claim 1 wherein R1 and R2 of the compound of formula I are independently hydrophobic, hydrophilic or fluorophilic.

3 (currently amended). An antimicrobial silicone oligomer or polymer according to claim 1 or claim 2 wherein at least one of R1, R2, R3 and R4 is a halogen.

KUMAR Appl. No. Unassigned June 5, 2006

4 (original). An antimicrobial silicone oligomer or polymer according to claim 3 wherein at least one of R1, R2, R3 and R4 is bromine.

5 (currently amended). An antimicrobial silicone oligomer or polymer according to any one of claims 1 to 4 claim 1 wherein the compound of formula I is blended or mixed with the silicone oligomer or polymer.

6 (currently amended). An antimicrobial silicone oligomer or polymer according to any one of claims 1 to 4 claim 1 wherein the compound of formula 1 is adsorbed to the silicone polymer or oligomer.

7 (original). An antimicrobial silicone oligomer or polymer according to claim 6 wherein the compound of formula I is adsorbed to the silicone polymer or oligomer by direct application of the compound of formula I to the silicone polymer or oligomer.

8 (currently amended). An antimicrobial silicone oligomer or polymer according to any one of claims 1 to 4 claim 1 formed by copolymerisinig a compound of formula I with at least one silicone comonomer or oligomer and optionally at least one other monomer.

9 (currently amended). An antimicrobial silicone oligomer or polymer according to any one of claims 1 to 4 claim 1 formed by condensation polymerisation of a silicone monomer or oligomer or polymer with the compound of formula I.

10 (currently amended). An antimicrobial silicone polymer or oligomer according to any one of claims 1 to 4 claim 1 formed by surface attachment of a compound of formula I on to a silicone polymer or oligomer or a device formed at least in part therefrom.

11 (original). An antimicrobial polymer or oligomer according to claim 10 wherein the silicon polymer or oligomer or the device is chemically or plasma treated.

12 (currently amended). An antimicrobial silicone oligomer or polymer according to any one of claims 1 to 11 claim 1 wherein the compound of formula I is a compound of formula II

$$R_1$$
 R_2
 R_3
 R_4

П

wherein R₁, R₂ are independently selected from H, alkyl, alkoxy, polyethyleneglycol, oxoalkyl, alkenyl, aryl or arylalkyl whether unsubstituted or substituted, straight chain or branched chain;

 R_4 is a hydrogen, halogen (X = F, Cl, Br or I);

R₃ is hydrogen or halogen; and

X is O or NR₂ and

Z is independently selected from the group R_2 , halogen, OH, OOH, OC(O) R_2 , =O, amine, azide, thiol, mercaptoalkyl, mercaptoalkenyl, alkenyloxy, aryloxy, mercaptoaryl, arylalkoxy, mercaptoarylalkyl, SC(O) R_2 , OS(O) R_2 , NHC(O) R_2 , =NR R_2 , NHR R_2 or silyloxy.

13 (original). A antimicrobial silicone oligomer or polymer according to claim 12 wherein R1 and R2 of the compound of formula I are independently hydrophobic, hydrophilic or fluorophilic.

14 (currently amended). An antimicrobial silicone oligomer or polymer according to any one of claims 1 to 13 claim 1 wherein the silicone oligomer or polymer is selected from the group comprising hexamethyldisioxane, octamethyltrisioxane, decamethyltetrasioxane, dodecamethylpentasiloxane, tetradecamethylhexasiloxane, hexamethyltricyclosiloxane, decamethylpentacyclosiloxane, dodecamethylpentacyclosiloxane, dodecamethylpentacyclosiloxane, and dimethylpolysiloxane.

15 (original). A compound of formula III:

$$R_{3}$$
 R_{4}
 R_{1}
 R_{1}
 R_{2}
 R_{3}
 R_{4}

wherein, R1 and R2 are independently selected from the group consisting of H, halogen, alkyl, alkoxy, oxoalkyl, alkenyl, aryl or arylalkyl whether unsubstituted or substituted, straight chain or branched chain,

R3 and R4 are independently H, halogen, alkyl, aryl, or arylalkyl; and X is O or NR₂,

wherein the compound of formula III has at least one -YC(O)NR $_7$ R $_5$ Si(OR $_6$) $_3$ group, where Y is selected from the group O, S, N, P, C(O); R $_5$ is a linker and preferably is substituted or unsubstituted alkyl, alkylaryl, arylalkyl, aryl, alkenyl, or a linker comprising these groups, optionally interrupted by one of more heteroatoms (eg oxygen), or a linking group comprising these groups and each R $_6$ is independently selected from substituted or unsubstituted alkyl, cycloalkyl, alkenyl or the like and R $_7$ is H or alkyl.

16 (original). A compound according to claim 15 wherein the linker R5 is a polyoxoalkylene.

17 (original). A antimicrobial silicone oligomer or polymer according to claim 1 wherein R1 and R2 of the compound of formula I are independently hydrophobic, hydrophilic or fluorophulic.

18 (currently amended). A method of producing a compound according to formula III of anyone of claims 15 to 17 claim 15, comprising reacting a compound of formula I having at least one group selected from Y'-H, wherein -Y' is selected from the

group O, S, NH, COO with a compound of formula OCNR₇R₅Si(OR₆)₃, wherein R₅ is a linker and preferably is substituted or unsubstituted alkyl, alkylaryl, arylalkyl, aryl, alkenyl, or a linker comprising these groups, optionally interrupted by one of more heteroatoms (eg oxygen), or a linking group comprising these groups and each R₆ is independently selected from substituted or unsubstituted alkyl, cycloalkyl, alkenyl or the like and R₇ is H or alkyl.

19 (currently amended). A method for associating a compound of formula III of any one of claim 15 to 17 claim 15 with a surface, the method comprising contacting the compound of formula III with the surface and optionally curing the compound.

20 (original). A method according to claim 19 wherein prior to the step of contacting the compound of formula III with the surface, the surface is treated to produce groups that are reactive with the silyloxy group of the compound of formula III.

21 (currently amended). A method for associating a compound of formula III according to any one of claims 15 to 17 claim 15 with a polymer or oligomer; the method comprising contacting the compound of formula III with the surface and optionally curing the polymer or oligomer.

22 (original). A method according to claim 21 wherein the polymer or oligomer is a silicone polymer or oligomer.

23 (currently amended). A polymer or oligomer associated with a compound of formula III according to any of claims 15 to 17 claim 15.

24 (original). A polymer or oligomer of claim 23 wherein the polymer or oligomer is a silicone polymer or oligomer.

25 (currently amended). A compound of formula III according to any one of claims 15 to 17 claim 15 wherein the compound is of formula IV:

$$R_1$$
 R_2
 R_3
 R_4
 R_4

wherein R₁, R₂ are independently selected from H, alkyl, alkoxy, polyethyleneglycol, oxoalkyl, alkenyl, aryl or arylalkyl whether unsubstituted or substituted, straight chain or branched chain;

 R_4 is a hydrogen, halogen (X = F, Cl, Br or I);

R₃ is hydrogen or halogen; and

X is O or NR₂ and

Z is independently selected from the group R_2 , halogen, OH, OOH, OC(O) R_2 , =O, amine, azide, thiol, mercaptoalkyl, mercaptoalkenyl, alkenyloxy, aryloxy, mercaptoaryl, arylalkoxy, mercaptoarylalkyl, SC(O) R_2 , OS(O) $_2R_2$, NHC(O) R_2 , =NR $_2$ NHR $_2$ or silyloxy;

wherein the compound of formula IV has at least one -YC(O)NR₇R₅Si(OR₆)₃ group, where Y is selected from the group O, S, N, P, C(O); R₅ is a linker and preferably is substituted or unsubstituted alkyl, alkylaryl, arylalkyl, aryl, alkenyl, or a linker comprising these groups, optionally interrupted by one of more heteroatoms (eg oxygen), or a linking group comprising these groups and each R₆ is independently selected from substituted or unsubstituted alkyl, cycloalkyl, alkenyl or the like and R₇ is H or alkyl.

26 (currently amended). A device coated with a compound of formula III according to any one of claims 15 to 17 claim 15 or with a compound of formula IV as defined above according to claim 24.

27 (original). A device according to claim 26 wherein the device is a contact lens.

28 (original). A device according to claim 26 wherein the device is a catheter.

29 (original). A device according to claim 26 wherein the device is a separation membrane used for water treatment.

30 (original). A device according to claim 26 wherein the device is a bandage.

31 (original). A device according to claim 26 wherein the device is an alginate bead.